

Deutscher Display Checklist

After reading this document, to request the display, please email Kristi.Engelstad@SanfordHealth.org

All of these minimum requirements MUST be met before submitting a formal request:

Request

- The request is being made at least 2 weeks in advance, but no more than 2 months in advance. The unit is for demonstration to approved target audiences only.
- The request is between April 1st and November 1st.
 - The display cannot be transported or displayed outdoors during inclement weather (high winds, heavy rain, hail, sleet, snow, etc.).
 - Sanford Ambulance reserves the right to deny requests or cancel at any time.
- Borrowers of the display are responsible for making all transport arrangements for the unit (see transportation requirements below).

Transportation

- The vehicle that will be towing the display is covered by state, county or municipal insurance.
 - The tow vehicle must be at least a ¾ ton vehicle with a class 3 received (capable of towing 6,000 to 7,000 lbs.) with a 2-5/16" ball.
 - The unit is a tandem axel 16 foot enclosed trailer. Pictures of the display can be found on the website www.deadlycrash.org
- The borrower of the display must have proof of current insurance to cover damage and/or liability, and the agency head or their designee must sign an indemnity agreement before transporting the display.

Event

- A law enforcement officer must ALWAYS be part of the presentation any time the display is open to assure accurate information about DUI laws and enforcement.
- The presenter must review and incorporate talking points provided by Sanford Ambulance into the presentation.
- The display must be washed before displaying it. DO NOT display the unit if it is dirty.
- There must be space for a 6-foot perimeter around the unit.
- To use the display's lighting, a UL-approved 20 AMP, 110 volt wall outlet is required.
- The unit cannot be left unattended at any time unless the panels are down and the trailer is fully secured.

Return of Display

- The receiver must be returned with the display. If it is not returned, the agency will be charged a \$75 replacement fee.
- The display must have a clean interior when returned. Any garbage found in the display upon return will exclude the borrower from future use of the display.
- Sanford Ambulance tracks the approximate number of people this display reaches. Please report the approximate number of people at your event to Kristi as soon after your event as possible.