

Rollover Simulator Minimum Criteria

- Request must be made at least 2 weeks in advance, and no more than 2 months in advance.
- The display can only be used from April 1st – November 1st. Additionally, the display cannot be transported or displayed outdoors during inclement weather (high winds, medium to heavy rain, hail, sleet, snow, etc.).
- If the Rollover Simulator is traveling more than 100 miles from the Fargo/Moorhead area, a \$100 donation is required to help pay for minor repairs as well as wear and tear on the unit. The Rollover Simulator cannot travel over 200 miles from the Fargo/Moorhead area.
- Transportation requires a class 3 receiver (capable of towing 5,000lbs.) with a 2" ball.
- Only a vehicle that is covered by state, county or municipal insurance may transport the simulator.
- Borrower must have proof of current insurance to cover damage and/or liability and the Agency Head or their designee must sign an indemnity agreement.
- Borrower must have and use a UL-approved 20 AMP, 110 volt wall outlet.
- Simulator must be 100' or less from the power source (see above). Only the extension cords provided may be used.
- A current trained operator must operate the simulator, with a minimum of 1 additional helper.
- The simulator must be WASHED before displaying it. DO NOT display the trailer if it is dirty.
- Simulator must be presented to large groups, preferably at schools and/or community events.
- Unit is for demonstration to approved target audiences only.
- Minimum teaching points must be covered.
- Must have space for a 20' perimeter around the unit.
- Suitable indoor storage must be provided if kept overnight.
- Unit cannot be left unattended unless it's fully secured in a safe location. The trailer and simulator cab must be locked.
- Unit must be returned in a presentable condition.
- F-M Ambulance Service reserves the right to deny requests or cancel at any time.